

# Editing, Validating, and Translating of SBGN Maps

Tobias Czauderna<sup>1</sup>, Christian Klukas<sup>1</sup> and Falk Schreiber<sup>1,2,\*</sup>

<sup>1</sup>Leibniz Institute of Plant Genetics and Crop Plant Research (IPK) Gatersleben, Germany

<sup>2</sup>Institute of Computer Sciences, Martin Luther University of Halle-Wittenberg, Germany

Received on XXXXX; revised on XXXXX; accepted on XXXXX

Associate Editor: XXXXXXXX

## ABSTRACT

**Motivation:** The recently proposed Systems Biology Graphical Notation (SBGN) provides a standard for the visual representation of biochemical and cellular processes. It aims to support more efficient and accurate communication of biological knowledge between different research communities in the life sciences. However, to increase the use of SBGN, tools for editing, validating, and translating SBGN maps are desirable.

**Results:** We present SBGN-ED, a tool which allows the creation of all three types of SBGN maps from scratch or editing of existing maps, the validation of these maps for syntactical and semantical correctness, the translation of networks from the KEGG and MetaCrop databases into SBGN, and the export of SBGN maps into several file and image formats.

**Availability:** SBGN-ED is freely available from <http://vanted.ipk-gatersleben.de/addons/sbgn-ed>. The web site also contains tutorials and example files.

**Contact:** [schreibe@ipk-gatersleben.de](mailto:schreibe@ipk-gatersleben.de)

Drawing large interaction maps is a time-consuming task. To enhance the usability of SBGN, tool support for creating, editing, and validating such maps is required. Currently several tools support or have started to consider SBGN, for an overview see <http://sbgn.org/SBGN.Software>.

Here we present SBGN-ED, a Vanted (Junker *et al.*, 2006) add-on for editing, validating, and translating SBGN maps. SBGN-ED contains a unique combination of features from SBGN map creation and editing to syntactic and semantic validation of SBGN maps, to automatic translation of existing non-SBGN networks from KEGG (Kanehisa *et al.*, 2010) and MetaCrop (Grafahrend-Belau *et al.*, 2008) into SBGN, and to export SBGN maps in different file and image formats. Furthermore, all methods of the Vanted system for integration and network-based analysis of high-throughput data, data visualisation and network layout as well as constraint-based model simulation are fully accessible to the SBGN maps. The Vanted system and the SBGN-ED add-on form a comprehensive platform for SBGN-supported analysis and visualisation of biological networks.

## 1 INTRODUCTION

The Systems Biology Graphical Notation (SBGN, <http://sbgn.org>) (Le Novère *et al.*, 2009) is an emerging standard for the visual representation of biological networks. This standardisation aims at improving information exchange and at supporting the collaborative creation of large maps based on individual modules. Such unified graphical representation should overcome the current situation of many different styles of networks used in biochemical, biological and medical books, articles and on-line resources. Especially in the growing field of systems biology, where increasingly complex and large networks have to be investigated, SBGN offers a promising approach for creating more intuitive and unambiguous visualisations.

Three different views of biological processes cover different levels of detail:

- (1) *Process Description* (PD), which shows the temporal dependencies of biological interactions in a network in detail;
- (2) *Entity Relationship* (ER), which displays the relationships in which a given entity participates in a network (without consideration of temporal aspects); and
- (3) *Activity Flow* (AF), which shows the flow of information between biological entities in a network in an abstract way.

## 2 METHODS

SBGN-ED is an add-on for Vanted (Junker *et al.*, 2006). Vanted is an open source software that offers the loading and editing of networks, allows the integration of different \*omics data and provides a variety of functions for data mapping and processing, statistical analysis, and visualisation. The main functions of SBGN-ED are:


- (1) SBGN map creation and editing,
- (2) SBGN map validation, and
- (3) translation of networks into SBGN.

These SBGN maps can then be exported into different file and image formats such as GML, GraphML, PDF, SVG, PNG, PNG/HTML image maps, and JPG. The following subsections describe the methodology of important functionalities such as validation and translation.

### 2.1 Editing

SBGN maps can be created from scratch or loaded from files. The relevant functionality for editing such maps is similar to well established editing methods for networks (see typical network analysis and graph drawing tools) and allows the addition, removal, and change of SBGN symbols (nodes and edges), change of size,

\*to whom correspondence should be addressed



**Fig. 1.** Screenshot of SBGN-ED as Vanted add-on showing the glycolysis pathway from KEGG translated into SBGN notation (left), an example file for SBGN Process Description (PD) maps (middle), and the side panel for PD maps (right).

colour, label and other attributes of map elements, and manual or automatic change of the layout of the map.

Following the SBGN specification, SBGN-ED supports all SBGN symbols (nodes and edges) as well as special connectors defined within glyphs (e. g., ports sticking out of process nodes). These connectors are dynamically adapted during the drawing of a map, according to the user interaction. For each SBGN language (PD, ER, and AF) a side panel contains the relevant symbols. Figure 1 shows a screenshot of SBGN-ED with two PD maps and the respective panel for editing these type of SBGN maps.

## 2.2 Validating

The grammar sections of the SBGN languages describe how the SBGN glyphs can be combined and connected to produce valid SBGN maps, which symbols can be duplicated, and so on (see the SBGN specification at <http://sbgn.org/Documents/Specifications>). These rules are given in the form of incidence matrices with nodes as columns and connections or arcs as rows (each element represents the role of a connection), and some additional textual descriptions. SBGN-ED checks for correct connections depending on the relevant incidence matrix and emphasises graphically invalid elements (nodes and edges) of a SBGN map for revision. This validation can be applied at any step, e. g. after loading a map or after editing elements.

## 2.3 Translating

A large amount of networks using different symbols exist already in databases representing biological processes. To help

reusing these networks and avoiding manual redrawing SBGN-ED provides the possibility to translate metabolic pathways from two different sources into SBGN: the KEGG (Kanehisa *et al.*, 2010) and MetaCrop (Grafahrend-Belau *et al.*, 2008) databases. The translation of diagrams from both databases follows several rules derived from the specification to create valid SBGN maps. The left panel in Figure 1 shows a part of the glycolysis pathway from KEGG which was translated into SBGN notation using SBGN-ED.

**KEGG to SBGN.** Metabolic pathways are translated using the KGML description of diagrams from the KEGG database. Note that KGML does not always give a complete description of the elements of the KEGG reference image. Elements which cannot be automatically translated into SBGN notation are kept in KEGG notation, and validating the map at the end of the translation is recommended. The number of nodes in the map is typically increased during the translation from KEGG to SBGN due to the SBGN specification. Therefore node overlapping may occur despite an increased node spacing, which can be removed by node overlapping removal algorithms provided in the tool.

**MetaCrop to SBGN.** Metabolic pathways are translated using GML files from the MetaCrop database.

## REFERENCES

- Grafahrend-Belau, E., Weise, S., Koschützki, D., Scholz, U., Junker, B. H., and Schreiber, F. (2008). MetaCrop - a detailed database of crop plant metabolism. *Nucleic Acids Research*, 36, D954–D958.

- Junker, B. H., Klukas, C., and Schreiber, F. (2006). VANTED: A system for advanced data analysis and visualization in the context of biological networks. *BMC Bioinformatics*, **7**, 109.1–13.
- Kanehisa, M., Goto, S., Furumichi, M., Tanabe, M., and Hirakawa, M. (2010). KEGG for representation and analysis of molecular networks involving diseases and drugs. *Nucleic Acids Research*, **38**, D355–D360.
- Le Novère, N., Hucka, M., Mi, H., Moodie, S., Schreiber, F., Sorokin, A., Demir, E., Wegner, K., Aladjem, M. I., Wimalaratne, S. M., Bergman, F. T., Gauges, R., Ghazal, P., Kawaji, H., Li, L., Matsuoka, Y., Villéger, A., Boyd, S. E., Calzone, L., Courtot, M., Dogrusoz, U., Freeman, T. C., Funahashi, A., Ghosh, S., Jouraku, A., Kim, S., Kolpakov, F., Luna, A., Sahle, S., Schmidt, E., Watterson, S., Wu, G., Goryanin, I., Kell, D. B., Sander, C., Sauro, H., Snoep, J. L., Kohn, K., and Kitano, H. (2009). The Systems Biology Graphical Notation. *Nature Biotechnology*, **27**, 735–741.